



# Maharashtra Pollution Control Board

## महाराष्ट्र प्रदूषण नियंत्रण मंडळ

### Form - IV

(See rule 13)

Bio Medical Waste Annual Return for the Calender Year - 2024

<b>Application Type:</b> CBMWTSDF	<b>Calender Year</b> 2024	Submit To SRO-Nagpur I
<b>1) Particulars</b>		
<b>i) First Name</b> RABI	<b>ii) Middle Name</b> SHANKAR	<b>iii) Last Name</b> SINGH
<b>iv) Designation</b> MANAGER	<b>v) Aadhaar No</b> 390607570054	<b>vi) PAN No</b> BFKPS2353Q
<b>vii) Address as per Aadhaar Card</b> 390607570054	<b>viii) Tel. No.</b> 9922447678	<b>ix) Fax No.</b>
<b>x) e-mail</b> info@superbgroup.in	<b>xi) URL of website</b> superbgroup.in	
<b>2) Details of the Common Treatment Facility</b>		
<b>i) Name of the Facility</b> SUPERB HYGIENIC DISPOSALS	<b>ii) Email</b> info@superbgroup.in	<b>iii) Name of the contact person</b> RABI SHANKAR SINGH
<b>iv) Contact No.</b> 9922447678		
<b>3) Address of the Facility</b>		
<b>i) Building Name/Building No./Survey Number</b> KH.NO. 133	<b>ii) Street / Village</b> BHANDEWADI	<b>iii) City / Taluka</b> Nagpur
<b>iv) District</b> Nagpur	<b>v) Pin-Code Number</b> 440035	<b>vi) Near by Landmark</b> BHANDEWADI
<b>vii) Latitude coordinate</b> 21.132914	<b>viii) Longitude coordinate</b> 79162891	<b>ix) Ownership</b> Private
<b>4) Details of valid Combined Consent and BMW Authorization (CCA)</b>		
<b>i) CCA / Authorization No.</b> Format1.0/CC/UAN No.MPCBCONSENT-0000212274/CR/2412000203	<b>ii) Valid Upto</b> Jul 31 2026 12:00:00:AM	
<b>5) Jurisdiction</b>		
<b>District</b> Bhandara,Gondiya,Nagpur,Wardha	<b>Taluka</b> 67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102	<b>ULB Name</b>
<b>Council Name</b>	<b>Nagarpanchyat Name</b>	<b>Cantonment Name</b>
<b>6) Total area covered (in Square KM)</b> 120.00		

7) Membership Provided to		
<b>1. Non-Bedded (Clinic/Pathology Lab/Blood bank)</b>		No of Non-Bed Establishments Covered 2644
(i) Clinics, Dispensaries		1900
(ii) Animal Houses		2
(iii) Pathological Laboratories		730
(iv) Blood Banks		11
(v) Any Others		1
<b>2. Bedded</b>	No of health care establishment covered 1240	No of Bed Covered 17838
<b>3. AYUSH</b>	No of AYUSH establishment covered 2	No of AYUSH Bed Covered 180
<b>4. Veterinary Institution &amp; Hospitals</b>		No of Veterinary Establishments Covered 4
<b>5. Research Institutions</b>		No of Research Institutions Covered 1

8) Bio Medical Collection, Treatment & Disposal Details			
<b>i) Authorized BMW Quantity KG/Month (as per valid CCA)</b>			
<b>Yellow</b> 116500.00000	<b>Red</b> 24000.00000	<b>Blue</b> 2800.00000	<b>White</b> 2000.00000
<b>ii) Installed treatment and disposal capacity of CBMWTF (Kg/day)</b>			
<b>Yellow</b> 4800.00000	<b>Red</b> 1000.00000	<b>Blue</b> 1000.00000	<b>White</b> 200.00000
<b>iii) Bio Medical waste collected from HCEs (kg/day)</b>			
<b>Yellow</b> 4006.00	<b>Red</b> 950.00	<b>Blue</b> 234.00	<b>White</b> 150.00
<b>iv) Bio Medical Waste Treated and disposed (Kg/day)</b>			
<b>Yellow</b> 4006.00000	<b>Red</b> 950.00000	<b>Blue</b> 234.00000	<b>White</b> 150.00000

9) Details of the Storage at Facility					
Sr No	Type	Category	Length (Ft)	Width (Ft)	Height (Ft)
1	Untreated BMW	Yellow	60.00	35.00	15.00
		Red	35.00	35.00	15.00
		Blue	20.00	35.00	15.00
		White	5.00	35.00	10.00
2	Treated BMW	Red	25.00	10.00	12.00
		Blue	10.00	10.00	12.00
		White	5.00	10.00	10.00
3	Incineration	Ash	15.00	12.00	10.00

10) Details of equipment used for treatment and disposal
1. Incinerator Details

Capacity Kg/day	Quantity treated or disposed in kg per day	Qty of Ash Generated (Mt/Month)	Incineration Disposed At
4800.00	4006.00	2.62	CHWTSDF Butiori, Nagpur
<b>3. Autoclaves</b>			
Capacity Kg/day	Quantity treated or disposed in kg per day	Qty sold to Recycler	Name of Recycler
1000.00	950.00	950.00	EXCELLENT WASTE MANAGEMENT PVT LTD
<b>6. Shredder</b>			
Capacity Kg/day	Quantity treated or disposed in kg per day	Qty sold to Recycler	Name of Recycler
1000.00	950.00	950.00	EXCELLENT WASTE MANAGEMENT PVT LTD
<b>10. Chemical Disinfection</b>			
Length (Feet)	Width (Feet)	Height (Feet)	Qty (Kg/day)
10.00	5.00	4.00	100.00
<b>11) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum</b>		Red (kg/annum) 342001.00	Blue (kg/annum) 84240.00
<b>12) Details of Authorised Recycler</b>			
<b>1. Plastic Waste Recycler</b>			
Name of the Recycler	Total Qty. Sold during 2025 (In KG)	Authorization / Consent No. of Recycler	Date
EXCELLENT WASTE MANAGEMENT PVT LTD	342001.00	FTECH/ALWAR/6790 2021 2022 886887	11-01-2022
<b>2. Glass Recycler Details</b>			
Name of the Recycler	Total Qty. Sold during 2025 (In KG)	Authorization / Consent No. of Recycler	Date
EXCELLENT WASTE MANAGEMENT PVT LTD	84240.00	FTECH/ALWAR/6790 2021 2022 886887	11-01-2022
<b>13) No of vehicles used for collection and transportation of biomedical waste</b>			22
<b>14) Details of Liquid waste generated and treatment methods (STP and ETP)</b>			
i) STP	No	Capacity (CMD)	
ii) ETP	Yes	Capacity (CMD) 10	
<b>15) Details of STP and ETP Sludge generated and disposed during the treatment of waste in Kg per annum</b>			
i) ETP Sludge	Yes	Quantity Generated 800.00	Where Disposed Maharashtra Enviro Power Limited, Nagpur unit
ii) STP sludge	No	Quantity Generated	Where Disposed
<b>16) Details trainings conducted on BMW</b>			
<b>i) Number of trainings conducted on BMW Management.</b> 10			
<b>ii) Number of personnel trained</b> 55			
<b>iii) Number of personnel trained at the time of induction</b> 15			

<b>iv) number of personnel not undergone any training so far</b>		
<b>v) whether standard manual for training is available?</b> Yes		
<b>vi) any other information</b> NA		
<b>17) Details of the accident occurred during the year</b>		
<b>i) Number of Accidents occurred</b>		
<b>ii) Number of the persons affected</b>		
<b>iii) Remedial Action taken (Please attach details if any)</b> No		
<b>iv) Any Fatality occurred, If yes details.</b> No		
<b>18) Are you meeting the standards of air Pollution from the incinerator?</b> Yes		
<b>i) How many times in last year could not met the standards?</b>		
<b>ii) Details of Continuous online emission monitoring systems installed</b> Yes		
<b>CO2</b> Yes	<b>O2</b> Yes	<b>Analyser</b> Yes
<b>19) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?</b> Yes		
<b>20) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?</b> Yes		
<b>Place</b> NAGPUR	<b>Designation</b> MANAGER	<b>Date</b> 27-06-2025